

ABM SCF BW250

Shock absorber with elastic ABM SCF webbing for works on scaffolds and snap hooks

EN 355



SPECIAL FEATURES



Suitable for explosion-hazard zones

PARAMETERS

Color yellow

LANYARD

Material polyester

Manufacture polyester webbing



Width 40 mm

ENERGY ABSORBER

Manufacture polyamide webbing















Color yellow

VARIANTS

ref. no.		carabiner model 1	carabiner model 2	carabiner model 3	length with carbiners [m]
BW250/AZ003/AZ023	Shock absorber with elastic ABM SCF webbing for works on scaffolds and snap hooks	 AZ 003 aluminium opening 20 mm	 AZ 023 aluminium opening 56 mm		0.9

ABM SCF BW250

Shock absorber with elastic ABM SCF webbing for works on scaffolds and snap hooks

BW250/AZ003/AZ023	Shock absorber with elastic ABM SCF webbing for works on scaffolds and snap hooks	 AZ 003 aluminium opening 20 mm	 AZ 023 aluminium opening 56 mm	1.5
BW250/AZ003/AZ029	Shock absorber with elastic ABM SCF webbing for works on scaffolds and snap hooks	 AZ 003 aluminium opening 20 mm	 AZ 029 steel opening 50 mm	0.9
BW250/AZ003/AZ029	Shock absorber with elastic ABM SCF webbing for works on scaffolds and snap hooks	 AZ 003 aluminium opening 20 mm	 AZ 029 steel opening 50 mm	1.5
BW250/AZ011/AZ002	Shock absorber with elastic ABM SCF webbing for works on scaffolds and snap hooks	 AZ 011 steel opening 18 mm	 AZ 002 steel opening 19 mm	0.9
BW250/AZ011/AZ002	Shock absorber with elastic ABM SCF webbing for works on scaffolds and snap hooks	 AZ 011 steel opening 18 mm	 AZ 002 steel opening 19 mm	1.5
BW250/AZ011/AZ023	Shock absorber with elastic ABM SCF webbing for works on scaffolds and snap hooks	 AZ 011 steel opening 18 mm	 AZ 023 aluminium opening 56 mm	0.9
BW250/AZ011/AZ023	Shock absorber with elastic ABM SCF webbing for works on scaffolds and snap hooks	 AZ 011 steel opening 18 mm	 AZ 023 aluminium opening 56 mm	1.5

ABM SCF BW250

Shock absorber with elastic ABM SCF webbing for works on scaffolds and snap hooks

BW250/AZ011/AZ029

Shock absorber with elastic ABM SCF webbing for works on scaffolds and snap hooks



AZ 011
steel
opening 18 mm



AZ 029
steel
opening 50 mm

0.9

BW250/AZ011/AZ029

Shock absorber with elastic ABM SCF webbing for works on scaffolds and snap hooks



AZ 011
steel
opening 18 mm



AZ 029
steel
opening 50 mm

1.5